

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Multiseal F

**Product no.**

-

**REACH registration number**

Not applicable

**Other means of identification**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Sealant

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Unipak A/S  
Marktoften 3C  
8464 Galten  
Denmark

**E-mail**

sales@unipak.dk

**SDS date**

01-04-2015

**SDS Version**

1.0

### 1.4. Emergency telephone number

+45 8626 1177 (normal opening time)

These services are only available to health professionals.

The UK National Poisons Emergency number is 0870 600 6266

Use your national or local emergency number

See section 4 "First aid measures"

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Skin Sens. 1, Aquatic Chronic 3, Skin Irrit. 2, Eye Irrit. 2, // H412, H319, H317, H315

See full text of H/R-phrases in section 2.2.

**DPD/DSD Classification**

Irritant (Xi).

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R52/53).

Irritating to eyes and skin (R36/38). May cause sensitisation by skin contact (R43).

### 2.2. Label elements

**Hazard pictogram(s)**



**Signal word**

Warning!

**Hazard statement(s)**

- Causes skin irritation. (H315)
- May cause an allergic skin reaction. (H317)
- Causes serious eye irritation. (H319)
- Harmful to aquatic life with long lasting effects. (H412)

<b>Safety statement(s)</b>	General	-
	Prevention	Avoid breathing dust/fume/gas/mist/vapours/spray. (P261) Avoid release to the environment. (P273) Wear protective gloves/protective clothing. (P280)
	Response	If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If eye irritation persists: Get medical advice/attention. (P337+P313)
	Storage	-
	Disposal	Dispose of contents/container to an approved waste disposal plant. (P501)

**Identity of the substances primarily responsible for the major health hazards**

Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (3:1)

**2.3. Other hazards**

**Additional labelling**

-

**Additional warnings**

-

**VOC**

-

**SECTION 3: Composition/information on ingredients**

**3.1/3.2. Substances**

NAME:	Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (3:1)
IDENTIFICATION NOS.:	CAS-no: 55965-84-9 EC-no: 611-341-5 Index-no: 613-167-00-5
CONTENT:	<0,25%
DSD CLASSIFICATION:	T; R23/24/25 C; R34 R43 N; R50-53
CLP CLASSIFICATION:	Acute tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1 H301, H311, H314, H317, H331, H400, H410

(\*) See full text of H/R-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

**Other informations**

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

**Inhalation**

Get the injured person into fresh air. Make sure there is always someone with the injured person. Prevent shock by keeping the injured person warm and calm. If the person stops breathing, give mouth-to-mouth resuscitation. If unconscious, roll the injured person onto side with the top leg bent at both knee and hip. Call an ambulance.

#### **Skin contact**

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### **Eye contact**

Remove contact lenses. Flush eyes with water (20-30°C) for at least 15 minutes. Call a doctor.

#### **Ingestion**

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

#### **Burns**

Rinse with water until the pain stops and continue for 30 minutes.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

If eye irritation persists: Get medical advice/attention.

#### **Information to medics**

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

#### **5.2. Special hazards arising from the substance or mixture**

No special

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

#### **6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc. In the event of a leakage to the surroundings, contact the local environmental authorities. Consider putting up waste collecting trays/basins to prevent leakage to the surroundings.

#### **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

#### **6.4. Reference to other sections**

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Smoking, consumption of food or liquid, and storage of tobacco, food or liquids are not allowed in the workrooms. Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. See section on 'Exposure controls/personal protection' for information on personal protection.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

According to EC-Regulation 1907/2006 (REACH)

### Storage temperature

Frost free

### 7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### OEL

No data available

#### DNEL / PNEC

No data available.

### 8.2. Exposure controls

No control is necessary if the product is used in a normal way.

#### General recommendations

▼ Observe general occupational hygiene.

#### Exposure scenarios

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

#### Exposure limits

There are no maximum exposure limits for the substances contained in this product.

#### Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

#### Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment



#### Generally

Only CE-marked personal protection equipment should be used. Use only CE marked protective equipment.

#### Respiratory Equipment

Recommended: AP2.

#### Skin protection

Special work clothing should be used.

#### Hand protection

Recommended: butyl rubber. . Breakthrough time: > 120 minutes (Class 4)

#### Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	Colour	Odour	pH	Viscosity	Density (g/cm <sup>3</sup> )
Liquid	-	None	8	-	1,35

#### Phase changes

Melting point (°C)	Boiling point (°C)	Vapour pressure (mm Hg)
-	>100	-

#### Data on fire and explosion hazards

Flashpoint (°C)	Ignition (°C)	Self ignition (°C)
-	-	-
Explosion limits (Vol %)	Oxidizing properties	
-	-	

#### Solubility

According to EC-Regulation 1907/2006 (REACH)

Solubility in water

Soluble

n-octanol/water coefficient

-

## 9.2. Other information

Solubility in fat

-

Additional information

N/A

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance

No data available.

Species

Test

Route of exposure

Result

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

#### Long term effects

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

Irritation effects: This product contains substances which cause irritation to skin and eyes, or when inhaled. Contact with locally irritative substances can cause the area of contact to be more prone to absorb damaging substances such as allergens.

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance

Species

Test

Test duration

Result

According to EC-Regulation 1907/2006 (REACH)

Mixture of 5-chloro-2-methylis...	Daphnia	EC50	48h	0,16 mg/L
Mixture of 5-chloro-2-methylis...	Fish	LC50	96h	0,22 mg/L
Mixture of 5-chloro-2-methylis...	Algae	ErC50	72h	0,027 mg/L

## 12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data available.			

## 12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BFC
No data available.			

## 12.4. Mobility in soil

Mixture of 5-chloro-2-methylis...: Log Koc= 2,4541, Calculated from LogPow (Moderate mobility potential. ).

## 12.5. Results of PBT and vPvB assessment

No data available

## 12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

#### Waste

EWC code

08 04 09

#### Specific labelling

-

#### Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

## SECTION 14: Transport information

Not listed as dangerous goods under ADR and IMDG regulations.

### 14.1 – 14.4

#### ADR/RID

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

Notes

Tunnel restriction code

#### IMDG

UN-no.

Proper Shipping Name

Class

PG\*

EmS

MP\*\*

Hazardous constituent

#### IATA/ICAO

UN-no.

Proper Shipping Name

Class

PG\*

### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-  
**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

No data available

(\*) Packing group

(\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC.

#### Demands for specific education

-

#### Additional information

-

#### Sources

EC regulation 1907/2006 (REACH)

Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H/R-phrases as mentioned in section 3

R34 - Causes burns.

R43 - May cause sensitisation by skin contact.

R50 - Very toxic to aquatic organisms.

R53 - May cause long-term adverse effects in the aquatic environment.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

H301 - Toxic if swallowed.

H311 - Toxic in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H331 - Toxic if inhaled.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

-

### Other symbols mentioned in section 2

-

### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

### The safety data sheet is validated by

#### Date of last essential change (First cipher in SDS version)

-

#### Date of last minor change (Last cipher in SDS version)

-

According to EC-Regulation 1907/2006 (REACH)



ALPHAOMEGA. Licens nr.:3015391111, Unipak A/S  
[www.chymeia.com](http://www.chymeia.com)